

Specifications

Dutch
Quality

Artificial Grass Mourinho 50/13

Application	Football	
Pile material	PE	
Production method	Tufted - 3/8"	
Primary backing	PP	
Secondary backing	SBR Latex	
Stitches	8.190 /m ²	± 10%
Pile height	50 mm	± 10%
Total height	52 mm	± 10%
Pile weight	1284 g/m ²	± 10%
Total weight	2544 g/m ²	± 10%
Infill	Silica sand, gradation 0.5 - 1.0 mm, minimal 80% round of shape + Rubber 0,5 - 2,0 mm	
Advice	Sand 20 kg/m ² + SBR 8 kg/m ²	
Uv stability	> 6.000 hours	
Product guarantee	10 years	
Water permeability	60 liter/min/m ²	
Roll length	Project	
Dtex	13.200	
Color	Bicolor Emerald green and Apple Green	

AGN Grass[®]

Real products | Real prices